

Notice of Allowability

Application No.

09/826,874

Examiner

Cicely Ware

Applicant(s)

GAU, SHYH-PYNG

Art Unit

2634

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed on 11/22/2004.
2. ☒ The allowed claim(s) is/are 1, 3, 4, 5-18 renumbered as 1-17 respectively.
3. ☒ The drawings filed on 22 November 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date <u>1</u> | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: The following is a statement of reasons for the indication of allowable subject matter: The instant application discloses a circuit for glitch-free changing of clock having different phases. Prior art references show similar methods but fail to teach: **"wherein when the phase of the data stream lags behind the phase of the system clock, the phase-up signal is enabled, then a flag signal N+1 corresponding to a clock N+1 is enabled, a select signal N+1 corresponding to the flag signal N+1 is enabled and the clock N+1 is set as the system clock"**, as in claim 1; **"wherein under the condition of clock N being at a first level, when the phase-up signal is enabled, the flag signal N+1 is enabled; and when the phase-down signal is enabled, the flag signal N-1 is enabled"**, as in claim 3; **"enabling a flag signal N+1 corresponding to the clock N+1 and then proceeding to a step c when the phase of the data stream lags behinds the phase of the system clock; c. enabling a flag signal N-1 corresponding to the clock N-1 and then proceeding to a step d when the phase of the data stream leads the phase of the system clock and the system clock is at a first level; d. enabling a select signal N+1 corresponding to the flag signal N+1 and then proceeding to a step f, when the clock N is at the first level; e. enabling a select signal N-1 in response to the flag signal N-1 and then proceeding to a step g, when the clock N is at the first level; f. setting the clock N+1 as the system clock and increasing N by one, and then returning to the step a; and g. setting the clock**

Art Unit: 2634

N-1 as the system clock and decreasing N by one, and then returning to the step a”, as applied to claim 15.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cicely Ware whose telephone number is 571-272-3047. The examiner can normally be reached on Monday – Friday, 8-5.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on 571-272-3056. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9314 for regular communications and 703-872-9314 for After Final communications.

Art Unit: 2634

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

Cicely Ware

cqw
June 8, 2005



STEPHEN CHIN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2000